

AVMOR plc. (NEW)
 P. O. BOX 234
 NORTHAMPTON, ENGLAND NN3 2LY

Section I. Chemical Product and Company Identification

Product Name/Trade Name	GOLD FLOOR FINISH	Code	1518
Chemical Family	Polymeric floor finish .	In case of Emergency	0976 402998 (01604 472300)
Manufacturer	Avmor Ltd 950 Michelin, Laval, Québec Canada	Material Uses	Floor coating.

Section II. Composition and Information on Ingredients

Name	CAS #	% by Weight	TLV/PEL	LC50/LD50
Polyethylene glycol	9002-93-1	1-5	Not available.	ORAL (LD50): Acute: 1500 mg/kg [Rat].
octylphenyl ether				

Section III. Hazards Identification

Potential Acute Health Effects	Prolonged contact with skin may cause irritation. May cause severe eye irritation. May cause headache or nausea if inhaled. Harmful if swallowed.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated exposure may cause chronic eye and skin irritation.

Section IV. First Aid Measures

Eye contact	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. If irritation persists, get medical attention.
Skin contact	Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap.
Hazardous Skin Contact	No additional information.
Inhalation	Allow the victim to rest in a well ventilated area.
Hazardous Inhalation	No additional information.
Ingestion	DO NOT induce vomiting. Have conscious person drink several glasses of water or milk. NEVER give an unconscious person anything to ingest. Seek medical attention.
Hazardous Ingestion	No additional information.

Section V. Fire and Explosion Data

Flammability of the Product	Non-flammable.
Auto-Ignition Temperature	Not applicable.
Flash Points	Not applicable.
Flammable Limits	Not applicable.
Products of Combustion	Carbon oxides (CO, CO2)
Fire Hazards in Presence of Various Substances	Not applicable.
Explosion Hazards	No specific information is available in our database regarding the product's risks of explosion in the presence of various materials.
Fire Fighting Media and Instructions	Use DRY chemicals, CO2, water spray or foam.

Section VI. Accidental Release Measures

Small Spill	Absorb with an inert DRY material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.
Large Spill	Stop leak if without risk. DO NOT get water inside container. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Finish cleaning by spreading water on the contaminated surface and dispose of in accordance with local regulations.

Section VII. Handling and Storage

Precautions	S1/2- Keep locked up and out of the reach of children. S25- Avoid contact with eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S29- Do not empty into drains. S62- If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.
Storage	Store in a dry, cool and well ventilated area. Keep from freezing.

Section VIII. Exposure Controls/Personal Protection

Gloves	Gloves (impervious).
Respiratory	Wear appropriate respirator when ventilation is inadequate.
Eyes	Safety glasses.
Other	Full suit, boots, splash goggles: are recommended under exceptional circumstances such as fire, spill or for prolonged contact with bulk quantities.
Exposure Limits	Not available.

Section IX. Physical and Chemical Properties

Physical state and appearance	Liquid. (Opaque.)	Odor	Mild acrylic
Boiling point	100°C (212°F)	Taste	Not available.
Melting Point	0°C (32°F)	Color	White.
Critical Temperature	Not available.	Molecular Weight	Not applicable.
Volatility	75% (v/v).	pH (in Water)	Not available.
Evaporation Rate	Not available.	pH (concentrate)	8.9-9.1
Vapor Pressure	Weighted average: 2.04 kPa (at 20°C)	Vapor density	Weighted average: 1.05 (Air = 1)
Inocity (in Water)	Not available.	Specific Gravity	1.030 to 1.035 (Water = 1)
Dispersion Properties	See solubility in water, methanol.	Viscosity	< 20 cps
Solubility	Easily soluble in cold water, hot water, methanol. Insoluble in diethyl ether, n-octanol.	Odor Threshold	Not available.

Section X. Stability and Reactive Data

Stability	The product is stable. (Nevertheless this product is sensitive to drastic changes of temperature)
Instability Temperature	Not available.
Conditions of Instability	No additional remark.
Incompatibility with Various Substances	With acids, alkalis, hydrocarbon solvents, inorganic salts and bleach.
Corrosivity	Not considered to be corrosive for metals and glass according to our database.

Section XI. Toxicological Information

Routes of Entry	Eye contact. Ingestion. Inhalation. Skin contact.
Toxicity to Animals	Acute oral toxicity (LD50): > 5000 mg/kg (RAT) (Calculated value for the mixture).
Chronic Effects on Humans	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated exposure may cause chronic eye and skin irritation.
Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Section XII. Ecological Information

Ecotoxicity	Low.
BOD5 and COD	Biodegradable.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The product itself and its products of degradation are not toxic.

Section XIII. Disposal Considerations

Waste Disposal	Dispose of material according to regional, provincial and federal regulations. Consult your local or regional authorities.
-----------------------	--

Section XIV. Transport Information

ADR Classification	Not controlled under ADR of the EEC.
UN/NA	None
Packing Group	None
Special Provisions for Transport	Not applicable.

Section XV. Other Regulatory Information

DSCL (Classification)	R22- Harmful if swallowed. R36- Irritating to eyes.
------------------------------	---

Section XVI. Other Information

References

Validated by the Regulatory Affaires Department on 01/07/02

Printed

08/07/02

NOTICE TO READER: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
