

AVMOR plc. (NEW)
 P. O. BOX 234
 NORTHAMPTON, ENGLAND NN3 2LY

Section I. Chemical Product and Company Identification

Product Name/Trade Name	WIZ Carpet ProtectorSolv.Base	Code	1392
Chemical Family	Petroleum Hydrocarbons	In case of Emergency	0976 402998 (01604 472300)
Manufacturer	Avmor Ltd 950 Michelin, Laval, Québec Canada	Material Uses	Carpet protector

Section II. Composition and Information on Ingredients

Name	CAS #	% by Weight	TLV/PEL	LC50/LD50
Stoddard solvent	8052-41-3	60-100	TWA: 100 CEIL: 125 (ppm) TWA: 575 CEIL: 720 (mg/m3)	Not available.

Section III. Hazards Identification

Potential Acute Health Effects	This product may irritate eyes and skin. Harmful if swallowed. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Prolonged exposure may cause skin and eye chronic irritation. Repeated skin exposure can produce local skin defatting or dermatitis.

Section IV. First Aid Measures

Eye contact	Flush eyes with running water, keeping eyelids open. If irritation persists, get medical attention.
Skin contact	Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. If irritation persists, seek medical attention.
Hazardous Skin Contact	No additional information.
Inhalation	Allow the victim to rest in a well ventilated area. Seek medical attention if discomfort persists.
Hazardous Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.
Ingestion	DO NOT induce vomiting. Have conscious person drink several glasses of water or milk. Seek immediate medical attention.
Hazardous Ingestion	DO NOT induce vomiting. If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. Seek medical attention.

Section V. Fire and Explosion Data

Flammability of the Product	Flammable.
Auto-Ignition Temperature	210°C (410°F) (Stoddard solvent).
Flash Points	52 deg C (T.O.C.)
Flammable Limits	The greatest known range is LOWER: 0.8% UPPER: 5% (Stoddard solvent)
Products of Combustion	These products are carbon oxides (CO, CO2).
Fire Hazards in Presence of Various Substances	Flammable in presence of open flames and sparks, of heat. Slightly flammable in presence of oxidizing materials.
Explosion Hazards	Very slightly to slightly explosive in presence of oxidizing materials.
Fire Fighting Media and Instructions	Flammable liquid, insoluble in water. SMALL FIRE: Use DRY chemicals, CO2, alcohol foam or water spray. LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.

Section VI. Accidental Release Measures

Small Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Large Spill	Flammable liquid, insoluble in water. Keep away from heat, from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material.

Section VII. Handling and Storage

Precautions	S1/2- Keep locked up and out of the reach of children. S15- Keep away from heat. S16- Keep away from sources of ignition - No smoking. S23- Do not breathe gas/fumes/vapor/spray S24/25- Avoid contact with skin and eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water S62- If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
--------------------	--

Storage Keep away from heat, from sources of ignition. Keep container tightly closed, in a cool, well-ventilated place.

Section VIII. Exposure Controls/Personal Protection

Gloves Gloves.
Respiratory Not applicable.
Eyes Safety glasses.
Other Full suit, apron, face shield, boots: are recommended under exceptional circumstances such as fire, spill, or for prolonged contact with bulk quantities.
Exposure Limits Stoddard solvent TWA: 100 CEIL: 125 (ppm) TWA: 575 CEIL: 720 (mg/m3)

Section IX. Physical and Chemical Properties

Physical state and appearance	Clear liquid.	Odor	Aromatic. (Slight.)
Boiling point	150°C (302°F)	Taste	Not available.
Melting Point	May start to solidify at 20°C (68°F) based on data for: Isopropyl orthotitanate.	Color	Colorless.
Critical Temperature	Not available.	Molecular Weight	Not applicable.
Volatility	95% (v/v).	pH (in Water)	Not applicable.
Evaporation Rate	Not available.	pH (concentrate)	Not available.
Vapor Pressure	2 mm of Hg (@ 20°C) (Stoddard solvent).	Vapor density	Greater than air.
Inocuity (in Water)	Not available.	Specific Gravity	0.765 (Water = 1)
Dispersion Properties	Not available.	Viscosity	Not available.
Solubility	Insoluble in cold water, hot water.	Odor Threshold	The highest known value is 1 ppm (Stoddard)

Section X. Stability and Reactive Data

Stability The product is stable.
Instability Temperature Not available.
Conditions of Instability No additional remark.
Incompatibility with Various Substances Not considered to be reactive according to our data base.
Corrosivity No specific information is available in our database regarding the corrosivity of this product in presence of various materials.

Section XI. Toxicological Information

Routes of Entry Ingestion. Eye contact. Skin contact. Inhalation
Toxicity to Animals See section II.
Chronic Effects on Humans CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Prolonged exposure may cause skin and eye chronic irritation. Repeated skin exposure can produce local skin defatting or dermatitis.
Engineering Controls Ensure that eyewash stations and safety showers are proximal to the work-station location.

Section XII. Ecological Information

Ecotoxicity Not available.
BOD5 and COD Not available.
Products of Biodegradation Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation The products of degradation are less toxic than the product itself.

Section XIII. Disposal Considerations

Waste Disposal Dispose of material according to regional, provincial and federal regulations.

Section XIV. Transport Information

ADR Classification ADR CLASS: Flammable liquid D. Non-toxic and non-corrosive liquid with a flash point between 21°C (70°F) and 100°C (212°F).
UN/NA 1268
Packing Group III
Special Provisions for Transport No additional remark.

Section XV. Other Regulatory Information

DSCL (Classification) R10- Flammable. R22- Harmful if swallowed.

Section XVI. Other Information

References

NOTICE TO READER: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
